

ACCESSIBILITY PRODUCTS

PLATFORM LIFTS

Reliable, uncomplicated vertical access. Introducing a large range of **platform lifts** to suit your needs.

Vision Elevators' platform lifts are designed and manufactured from top quality components in compliance with the latest gazetted standards. They can be custom-finished to suit any client's needs and are suitable for both private and public buildings requiring accessibility.




KEY FEATURES

CAPACITY	Up to 385kg
SPEED	0.15m/s
TRAVEL HEIGHT	Up to 9m
MAX NUMBER OF FLOORS	Up to 4
DOOR ORIENTATION	Inline, opposite, adjacent
DOOR OPERATION	Manual or automatic
CAR DOOR TYPES	Light curtain, 2 panel side opening door
LANDING DOOR TYPES	Swing door, 2 panel side opening door
MACHINE LOCATION OPTIONS	MCBA (machine cabinet below adjacent)
DRIVE TYPE	Hydraulic
FINISHES	Powder-coated mild steel, stainless steel, glass or wood
NORMAL OPERATION	Simplex control using constant pressure buttons, latching buttons available on application
EMERGENCY OPERATION	Battery back-up available as standard, allowing lift to be lowered to the terminal floor in the event of a power failure



BASIC LAYOUT



OPTIONAL EXTRAS

Voice annunciator

Segmented display in car

Segmented display on landings
indicating active floor

GSM telephone within car

PRODUCTS		PL 1	PL 2	PL 3	PLA 1	PLA 2	PLA 3
DOOR OPERATION		Manual			Automatic		
CAPACITY (KG)		250	315	385	250	300	325
SHAFT SIZE (MM)	Width (SW)	1250	1350	1550	1500	1600	1600
	Depth (SD)	1350	1500	1500	1700	1850	1850
	Headroom (H)	2500	2500	2500	3000	3000	3000
	Pit Depth (P)	180	180	180	300	300	300
CAR SIZE (MM)	Width (CW)	800	900	1100	800	900	1100
	Depth (CD)	1250	1400	1400	1250	1400	1400
	Car Height (CH)	2100	2100	2100	2100	2100	2100
	Door Opening Width (DOW)	800	900	900	800	900	900
	Door Opening Height (DOH)	2000	2000	2000	2000	2000	2000

*Other capacities, shaft and car sizes available – custom made to suit any requirement

S11 STEPPY STEPLIFT

Introducing the **S11 Steppy steplift**, designed for shorter travel distances.

Vision Elevators' S11 Steppy steplifts are designed and manufactured from top quality components in compliance with the latest gazetted standards. They can be custom-finished to suit any client's needs and are suitable for both private and public buildings requiring accessibility. Their configuration provides flexibility while ensuring maximum comfort.



KEY FEATURES

CAPACITY	Up to 400kg
SPEED	0.06m/s
MAX TRAVEL HEIGHT	Up to 2.99m
MAX NUMBER OF FLOORS	Up to 4
DOOR ORIENTATION	Inline, opposite, adjacent
DOOR OPERATION	Manual or automatic
CAR DOOR TYPES	Swing door, 2 panel side opening door
LANDING DOOR TYPES	Swing door, 2 panel side opening door
MACHINE LOCATION OPTIONS	MCBA (machine cabinet below adjacent)
DRIVE TYPE	Hydraulic
FINISHES	Powder-coated mild steel, stainless steel, glass, non-slip aluminum
NORMAL OPERATION	Simplex control using constant pressure buttons, latching buttons available on application
EMERGENCY OPERATION	Battery back-up available as standard, allowing lift to be lowered to the terminal floor in the event of a power failure



STANDARD CONFIGURATIONS

S11 Steppy Silver

PRODUCTS	STANDARD	LARGE	EXTRA LARGE
CAPACITY (KG)	400kg	400kg	400kg
MAX TRAVEL HEIGHT	800mm	1 000mm	1 000mm
MAX SPEED	0.04m/s	0.04m/s	0.04m/s
NUMBER OF FLOORS	1	1	1
PLATFORM SIZE	1250 x 850mm	1400 x 1120mm	1400 x 1250mm
PIT	None	None	None

*Other capacities, shaft and car sizes available – custom made to suit any requirement

S11 Steppy Plus

PRODUCTS	80	160	200
CAPACITY (KG)	400kg	400kg	400kg
MAX TRAVEL HEIGHT	800mm	1 600mm	2 990mm
MAX SPEED	0.06m/s	0.06m/s	0.06m/s
NUMBER OF FLOORS	2	2	2
PLATFORM SIZE	1260 x 900mm	1260 x 900mm	1700 x 1100mm
PIT	220mm	325mm	360mm

*Other capacities, shaft and car sizes available – custom made to suit any requirement

OPTIONAL EXTRAS

Voice annunciator

Segmented display in car

Segmented display on landings
indicating active floor

GSM telephone within car



WHEELCHAIR STAIR LIFTS

Our **V6s wheelchair stair lift** provides you with advanced user experience, modern technology and safe, reliable vertical mobility up stairs.

Vision Elevators' stair lifts are designed and manufactured from top quality components in accordance with the latest gazetted standards. The V6s stair lift can be custom finished to suit any client's needs. These stair lifts have been tested and proven to withstand temperatures between -20°C and +50°C, making this product suitable for both private and public buildings whether indoor or outdoor.




KEY FEATURES

CAPACITY	Up to 300kg
SPEED	0.1m/s
MIN. STAIR WIDTH	960mm, 1000mm
GRADIENT	0° - 50°
GUIDE SIZE	50x30mm, 80x40mm
MIN. RAIL SIZE	100mm, 135mm
MIN. SIZE WITH LIFT FOLDED	350mm, 380mm
PLATFORM DIMENSIONS	750x600mm, 750x650mm, 750x700mm, 800x700mm, 900x700mm, 1000x800mm, 1000x900mm, 1250x800mm
BATTERIES POWER SUPPLY	24Vdc
MAX. POWER CONSUMPTION	1kW
USE	Disabled access
NORMAL OPERATION	Automatic, simplex control using pressure buttons
EMERGENCY OPERATION	Rescue mode, manual emergency manoeuvre, speed limiter, safety edges, electric safety limit switches, shock-absorbing, anti-crushing devices



BASIC LAYOUT



OPTIONAL EXTRAS

Protective Cover
Customisable colours and graphics
Gateway for cloud connection (IoT)
EN 81-40 compliant foot guard
Front access
Audible "Lift in motion" alarm
Intermediate stops
Folding seat
Post for remote floor controls
Radio controls for the accompanying person

V6s DIMENSIONS & OVERALL SPECIFICATIONS

D (min.)	370mm
H1 (min.)	1800mm
T (min.)	1120mm
T1 (min.)	800mm
L (min. - max.)	750-1250mm
P (min. - max.)	600-900mm
LS (min.)	910mm
N (min.)	1350mm

OUR HEAD OFFICES

WESTERN CAPE (CAPE TOWN)

Unit 28
Atlas Fardens Industrial Estate
Sycamore Crescent
Counteranskloof Road
Potsdam 7550
021 300 1715

GAUTENG (JOHANNESBURG)

Unit 24
Great North Industrial Park
20 Van Wyk Road
Goedeburg
Benoni 1501
011 568 0494

KWAZULU-NATAL (DURBAN)

10 Fangio Place
Mahogany Ridge
Westmead 2145
031 100 0524

CONTACT DETAILS


Email: info@visionelevators.africa

Tel: +27 87 550 0534
(South Africa)

Tel: +230 5747 7795
(Mauritius)

Tel: +264 83 380 0128
(Namibia)

Emergency number: +27 86 010 5727



For more information, visit:

<https://visionelevators.africa>

VISION
ELEVATORS
We Go Further

Gold members of the Lift
Engineering
Association of South Africa
ISO 9001:2015 accredited