

HOME LIFTS

HOME LIFTS

Our **home lifts** bring you cost-effective comfort, custom design, and the latest technology.

Vision Elevators' home lifts are designed and manufactured from top quality components in accordance with the latest gazetted standards. They can be custom finished to suit any client's needs and are best suited for private buildings; however, they can also be used in public spaces requiring accessibility.




KEY FEATURES

CAPACITY	Up to 400kg
SPEED	0.15m/s
TRAVEL HEIGHT	Up to 14m
MAX NUMBER OF FLOORS	Up to 5
DOOR ORIENTATION	Inline, opposite, adjacent
DOOR OPERATION	Manual or automatic
CAR DOOR TYPES	Light curtain or automatic door operator
LANDING DOOR TYPES	Manual or automatic
MACHINE LOCATION OPTIONS	MRL (machine room less)
DRIVE TYPE	Electric
USE	Passenger and disabled access
FINISHES	Powder coated mild steel, stainless steel, glass or wood
NORMAL OPERATION	Simplex control using constant pressure buttons, latching buttons available on application
EMERGENCY OPERATION	Battery back-up available as standard, allowing lift to be lowered to the terminal floor in the event of a power failure



CABIN FINISHES


STANDARD CABIN FINISHES




LY-J406

FINISHES	MATERIAL
FRONT WALL	Stainless Steel
REAR WALL	Stainless Steel
LEFT WALL	Stainless Steel
RIGHT WALL	Stainless Steel
CEILING	Circling Circle
FLOOR	Lamination slab PVC


OPTIONAL CABIN INTERIOR FINISHES




LY-J102




LY-J411



LY-J414



LY-J417




LY-J419



LY-J420



LY-J421




LY-J301



LY-J302



LY-J303



LY-J304

OPTIONAL DOOR FINISHES



LY-M406



LY-M407



LY-M408




LY-M409

USER INTERFACES

LOP (Landing Operating Panel)



V001 (standard)



V002 Glass (optional)

COP (Car Operating Panel)




V001 (standard)




V002 Glass (optional)

SHAFT OPTIONS



BASIC LAYOUT


Option 1: Masonry Shaft



PRODUCTS	HL1	HL2	HL3	HL4
DOOR OPERATION	Automatic C/O	Automatic C/O	Automatic C/O	Automatic S/O
CAPACITY (KG)	400	400	400	400
SHAFT SIZE (MM)	1300 x 1250	1500 x 1400	1700 x 1400	1300 x 1300
CAR SIZE (MM)	850 x 1010	1050 x 1160	1200 x 1260	850 x 980
DOOR OPENING WIDTH (MM)	600	700	800	700
OVERHEAD (MM)	3000	3000	3000	3000
PIT DEPTH (MM)	350	350	350	350

*Other capacities, shaft, and car sizes available – custom made to suit any requirement

Option 2: Aluminium and Glass



PRODUCTS	HL1	HL2	HL3	HL4
DOOR OPERATION	Automatic C/O	Automatic C/O	Automatic C/O	Automatic S/O
CAPACITY (KG)	400	400	400	400
INSTALLATION RESERVE (MM)	1450 x 1400	1650 x 1550	1850 x 1650	1450 x 1450
OUTSIDE FRAME SIZE (MM)	1400 x 1350	1600 x 1500	1800x 1600	1400 x 1400
CAR SIZE (MM)	850 x 1010	1050 x 1160	1200 x 1260	850 x 980
DOOR OPENING WIDTH (MM)	600	700	800	700
OVERHEAD (MM)	3000	3000	3000	3000
PIT DEPTH (MM)	350	350	350	350

*Other capacities, shaft, and car sizes available – custom made to suit any requirement

OUR HEAD OFFICES

WESTERN CAPE (CAPE TOWN)

Unit 28
Atlas Fardens Industrial Estate
Sycamore Crescent
Counteranskloof Road
Potsdam 7550
021 300 1715

GAUTENG (JOHANNESBURG)

Unit 24
Great North Industrial Park
20 Van Wyk Road
Goedeburg
Benoni 1501
011 568 0494

KWAZULU-NATAL (DURBAN)

10 Fangio Place
Mahogany Ridge
Westmead 2145
031 100 0524

CONTACT DETAILS


Email: info@visionelevators.africa

Tel: +27 87 550 0534
(South Africa)

Tel: +230 5747 7795
(Mauritius)

Tel: +264 83 380 0128
(Namibia)

Emergency number: +27 86 010 5727



For more information, visit:

<https://visionelevators.africa>

VISION
ELEVATORS
We Go Further

Gold members of the Lift
Engineering
Association of South Africa
ISO 9001:2015 accredited