

GOODS ONLY HOISTS

GOODS ONLY HOISTS

Making life easier... A range of sturdy and reliable **goods only hoists** to swiftly and efficiently move products from one level to the next.

Our goods only hoists are designed, manufactured and installed in accordance with the latest gazetted standards. We believe in providing a well-manufactured, robust goods only hoist that ensures maximum safety and functional efficiency. Our goods only hoists are the perfect solution for moving goods in retail outlets, warehousing, manufacturing, and all other fields of industry.



KEY FEATURES



CAPACITY	Up to 5000kg
SPEED	0.1m/s as standard, 0.2m/s if required
TRAVEL HEIGHT	Up to 35m
MAX NUMBER OF FLOORS	Up to 8
DOOR ORIENTATION	Incline, opposite, adjacent
DOOR OPERATION	Manual
CAR DOOR TYPES	CAP gate, picket gate
LANDING DOOR TYPES	CAP gate, swing doors
MACHINE LOCATION OPTIONS	MRL (machine room less), MRA (machine room above), MRBA (machine room below adjacent)
DRIVE TYPE	Positive drum drive
USE	Moving of goods only
FINISHES	Galvanised mild steel, stainless steel grade 430 or 304







BASIC LAYOUT

MRL (Machine Room Less)




MRA (Machine Room Above)





MRBA (Machine Room Below Adjacent)

PLAN VIEW OF MR BELOW ADJACENT
SHAFT - INLINE ENTRANCES



SECTIONAL VIEW OF MR BELOW ADJACENT
SHAFT - INLINE ENTRANCES



STANDARD CONFIGURATIONS

PRODUCTS		GH1	GH2	GH3	GH4	GH5
CAPACITY (KG)		1000	1500	2000	2500	3000
SHAFT SIZE (MM)	Width (SW)	2200	2200	2600	2600	3000
	Depth (SD)	1800	2100	2100	2600	3100
	Headroom (H) *L2	4100	4100	4100	4100	4100
	Pit Depth (P) *L3	1000	1000	1000	1000	1000
CAR SIZE (MM)	Width (CW)	1500	1500	1800	1800	2200
	Depth (CD)	1500	1800	1800	2300	2800
	Car Height (CH)	2000	2000	2000	2000	2000
	Door Opening Width (DOW)	1500	1500	1800	1800	2200
	Door Opening Height (DOH)	2000	2000	2000	2000	2000

*L2 - can be reduced by applying L2 rules | *L3 - can be reduced by applying L3 rules

*Other capacities, shaft and car sizes available – custom made to suit any requirement

OPTIONAL EXTRAS

Arrival bell on car

Alarm bell for warning if doors have been open too long

Intercom between landings

Segmented display on landings

VVVF control

Bumper rails

Meat rail





OUR HEAD OFFICES

WESTERN CAPE (CAPE TOWN)

Unit 28
Atlas Fardens Industrial Estate
Sycamore Crescent
Counteranskloof Road
Potsdam 7550
021 300 1715

GAUTENG (JOHANNESBURG)

Unit 24
Great North Industrial Park
20 Van Wyk Road
Goedeburg
Benoni 1501
011 568 0494

KWAZULU-NATAL (DURBAN)

10 Fangio Place
Mahogany Ridge
Westmead 2145
031 100 0524

CONTACT DETAILS

Email: info@visionelevators.africa

Tel: +27 87 550 0534
(South Africa)

Tel: +230 5747 7795
(Mauritius)

Tel: +264 83 380 0128
(Namibia)

Emergency number: +27 86 010 5727



For more information, visit:

<https://visionelevators.africa>

VISION
ELEVATORS
We Go Further

Gold members of the Lift
Engineering
Association of South Africa
ISO 9001:2015 accredited